

*Via Facsimile (703) 872-9306*

9D-HR-20193-DIV  
PATENT

IN THE CLAIMS

1. (Original) An ice maker comprising:  
  
a mold comprising at least one cavity for containing water therein for freezing into ice;  
  
a water supply comprising at least one valve for controlling water flow into said mold;  
  
an ice removal heating element operationally coupled to said mold; and  
  
an ice maker control system operationally coupled to said valve and said ice removal heating element and configured:  
  
control said valve;  
  
control said ice removal heating element; and  
  
provide a signal to a refrigerator control system.
2. (Original) An ice maker in accordance with Claim 1 wherein said ice maker control system further configured to transmit to the refrigerator control system a signal that said valve is in an open state letting water flow into said at least one mold cavity.
3. (Original) An ice maker in accordance with Claim 1 wherein said ice maker control system further configured to transmit to the refrigerator control system a signal that said valve was in an open state letting water flow into said at least one mold cavity.
4. (Original) An ice maker in accordance with Claim 1 wherein said ice maker control system further configured to transmit to the refrigerator control system a signal that said ice removal heating element is energized.

*Via Facsimile (703) 872-9306*

9D-HR-20193-DIV  
PATENT

5. (Previously presented) A refrigerator comprising:

a fresh food compartment;

a freezer compartment separated from said fresh food compartment by a mullion;

an ice maker positioned within said freezer cavity; and

a refrigerator control system configured to control a temperature of said freezer compartment and said fresh food compartment, said refrigerator control system configured to receive a signal from an ice maker control system.

6. (Original) A refrigerator in accordance with Claim 5 wherein said refrigerator control system configured to control the temperature of said freezer compartment based on the received signal.

7. (Original) A refrigerator in accordance with Claim 5 further comprising a fan positioned to move air in said freezer compartment, said refrigerator control system configured to control said fan based on the received signal.

8. (Previously presented) A refrigerator in accordance with Claim 5 further comprising a fan positioned to move air in said freezer compartment, said refrigerator control system configured to control said fan based on a signal representative of a user selected mode including a speed ice mode and a normal ice mode such that:

when the signal is representative of speed ice mode:

said fan is energized during cooling cycles, and

said fan is energized selectively during non-cooling cycles in  
conjunction with predetermined ice make modes; and

*Via Facsimile (703) 872-9306*

9D-HR-20193-DIV  
PATENT

when the signal is representative is normal ice mode:

said fan is energized during cooling cycles, and

said fan is de-energized during non cooling cycles.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**